NOVA SCOTIA

NEW BRUNSWICK

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	PARKER HANNIEM IDDE		
		STAPLE, DEVON, UK EX31 1NP	
	ABOVE	STAPLE, DEVON, UK EX31 1NP	
		CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD TO
A Pipe fittings, including coupling B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible context of the Strainers, filters, separators, F. Measuring devices, including pressure transmitters G Certified capacity-rated pressure vessels, piper of the Pressure retaining components. N Nuclear components: Class	ngs, tees, elbows, Ys, plugs, nections, and hose assemblicand steam traps pressure gauges, level gauge ture relief devices acceptable ing and fusible plugs ts that do not fall into one of t	es: all types es, sight glasses, levels, or as primary over pressure protection on	IIILE OF THE STANDARD OF CONSTRUCTION MSS SP99 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII FED-STD-H28/2B TYPE OF CONSTRUCTION FORGED WELDED WROUGHT IX CAST OTHER DESCRIBE OTHER: BODY=FORGED COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFIC	ATION OF THE ACTUAL ITEMS TO BE REC	SISTERED:
my knowledge represents the t	(see note 3) employed b he end product do solemn	nly declare that the information contained	of construction
manufacture of these fittings is or in part and has been verified declaration conscientiously believed by the control of the c	regulated by a Quality Co by DN MANGEM eving it to be true, and know	cordance with the herein named standard in the large of the same force and effective of the sa	ds. I further declare that the
This re	This spa gistration must be revalida	ce for Regulatory Author (15 OF PUBLIC ated after ten (16) Years (16) The Salant	SAFETY MEASULACT
CRN: 0C19249.5	gistiation must be revailus	REGISTRATION	
Notes: 1. All fittings shall be registered in 2. Each category shall be support forms and one copy of supporting 3. The declaration shall be made responsibility for the quality of the 4. Quality control programs shall be	ed with two Statutory Declara documentation. by the person having full auth end product.	tion CHIEF BOILER INS	19249. 57 CLIENT PECTOR 21/2017
at a maximum interval of five (5) ye		☐ BLes ☐	FV3

NEW BRUNSWICK	NOVA SCOTIA	DDINGE EDWARD ISLAND	NEW TOWNS
NUNAVUT	YUKON	NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	PARKER HANNIFIN IPDE		
MANUFACTURERS ADDRES	S: RIVERSIDE ROAD, BARNS	TAPLE, DEVON, UK EX31 1NP	
PLANT LOCATIONS: A	S ABOVE		
CATEGORY OF FIT	TINGS TO BE REGISTERED.	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coup	lings, tees, elbows, Ys, plugs, ur	nions, pipe caps, or reducers	MSS SP99
B Flanges: all flanges C Valves: all line valves			ASME B31.1
D Expansion joints, flexible co	onnections, and hose assemblies	: all types	ASME B31.3 ASME B16.5
E Strainers, filters, separators	, and steam traps g pressure gauges, level gauges		ASME B16.34
pressure transmitters			ASME VIII
boilers, pressure vessels, p	ssure relief devices acceptable a iping and fusible plugs ents that do not fall into one of the	s primary over pressure protection on	FED-STD-H28/2B
N Nuclear components: Class	1 Class 2 Class 3 Class 3 Cl	e above categories Meeting AECB or ASME requirements)	
SHOW MANUFACTURERS NA	ME, TRADEMARK, OR LOGO	AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION
		NOW WILL ALL EAR ON THE PRODUCT	FORGED WELDED I WROUGHT IX
			CAST OTHER DESCRIBE OTHER:
	Park	7.7.	BODY=FORGED
		74	COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING DOCU	MENTATION AND IDENTIFICA	TION OF THE ACTUAL ITEMS TO BE RE	GISTERED:
CATALOG 4190-FP			
PROBLOC-10-CRN-CA	LC REV2		
1			
DECLARATION:		0	
responsibility for the quality of	(see note 3) employed by	PARCER and bei	ng the person having full authority and
my knowledge represents the	product for which registration	y declare that the information contained n is sought. The dimensions, materials	d in this form is true and to the best of
temperature ratings, and iden	tification markings are in acc	ordance with the herein named standa	rds. I further declare that the
manufacture of these fittings i	s regulated by a Quality Con	trol Program which extends to each pla	ant where fabrication occurs in whole
declaration conscientiously be	elieving it to be true, and know	wing that it is of the same force and eff	at purpose and I make this solemn
decided to the control of the contro	J. P. Nel	wing that it is of the same force and en	ectas if made under oath.
Signature of Declarer:	V. 7.1000		10
Declared before me at	and And sever	LON USETH'S	S.P.A.CE FOR THE
This lead day of	Simus AD 201	4 902 11110	
	TIXT X7	O FU.F 1	C JA B SEAL
Commissioner of Oaths or Notary Public: (sign)) V/ 10ea L	13	10
. , , , , , , , , , , , , , , , , , , ,	(Affix Official seal to the right)	Now ENM	Chamarie
	/ /	e for Regulatory Authority use	WICK
This		ed after ten (10) years from the date by	Gobertence.
0.01.02.40		BOILER & PRESSUR	E VESSEL ACT
CRN:	_ /		
FID#: 2655		REGISTRATIO	ON ONLY
	_ /	CRN_/U	019249,51
Notes:		(1)	0
1. All fittings shall be registered	in the name of the Manufacturer	EXAMINER: MU	- (season
Each category shall be support	orted with two Statutory Declarati	ion	
forms and one copy of supporting 3. The declaration shall be made		CHIEF DOU EE	SPECTOR
responsibility for the quality of the	e end product.	DATE: Upril	21/2017
 Quality control programs shall at a maximum interval of five (5) 	I be resubmitted for validation	2920	1 301
- 2 maximum interval or live (5)	years.	☐ BLRs ☐	PVs
		X FITTINGS C	COMPONENTS

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	PARKER HANNIFIN IPDE		
		STAPLE, DEVON, UK EX31 1NP	
	ABOVE	2,020,000	7
CATEGORY OF FITT	INGS TO BE REGISTERED	CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
H Pressure retaining componer N Nuclear components: Class	nnections, and hose assembliand steam traps pressure gauges, level gaugesure relief devices acceptable ping and fusible plugs that do not fall into one of the class 2 Class 3 C.	es: all types es, sight glasses, levels, or as primary over pressure protection on	MSS SP99 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.34 ASME VIII FED-STD-H28/2B TYPE OF CONSTRUCTION FORGED \(\begin{array}{c} \text{WELDED} \text{WROUGHT DX} \\ \text{CAST} \text{OTHER} \text{DESCRIBE OTHER:} \\ \text{BODY=FORGED} \(\text{COMPONENTS=WROUGHT BAR} \)
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFIC	CATION OF THE ACTUAL ITEMS TO BE RE	CONTENED
DECLARATION:	IONOFLANGE DATED 21/03/		
temperature ratings, and identification and identification conscientiously belongers.	the end product do solemi product for which registrati fication markings are in ac regulated by a Quality Co d by What was and he	in declare that the information contained ion is sought. The dimensions, materials accordance with the herein named standard ontrol Program which extends to each place of the same force and efforce on the same force and efforce and ef	s of construction, pressure ards. I further declare that the ant where fabrication occurs in whole at purpose and I make this solemn
Commissioner of Oaths or Notary Public: (sign)	Affix Official sea to the right)	Bruiss	CIALS EATH
This re		ace for Regulatory Authority புரை OF PUBLI ated after ten (10 நருநாதர் மூரிக்டீவில் ச	
CRN: 0C19249.5	_ /	REGISTRATIO	ON ONLY
FID#: 2655	_	CRN O	<u>C1924</u> 9.51
Notes: 1. All fittings shall be registered in 2. Each category shall be supportorms and one copy of supporting 3. The declaration shall be made responsibility for the quality of the 4. Quality control programs shall at a maximum interval of five (5) y	ted with two Statutory Declard documentation. by the person having full auth end product. be resubmitted for validation	CHIEF SOILER I	NSPECTOR 21/2017 PVs
	<u> </u>	X FITTINGS	COMPONENTS

NOVA SCOTIA

NEW BRUNSWICK

NEW BRUNSWICK NUNAVUT	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME: F	PARKER HANNIFIN IPDE		
		STAPLE, DEVON, UK EX31 1NP	
	ABOVE	STAPLE, DEVON, OR EX31 INP	
		CIRCLE ONE CATEGORY ONLY	TITLE OF THE STANDARD OF CONSTRUCTION
A Pipe fittings, including coupling B Flanges: all flanges			TITLE OF THE STANDARD OF CONSTRUCTION MSS SP99
C Valves: all line valves			ASME B31.1 ASME B31.3
D Expansion joints, flexible con E Strainers, filters, separators,	and steam traps		ASME B16.5
.F Measuring devices, including pressure transmitters	pressure gauges, level gauge	s, sight glasses, levels, or	ASME B16.34 ASME VIII
G Certified capacity-rated press boilers, pressure vessels, pip	ing and fusible plugs	as primary over pressure protection on	FED-STD-H28/2B
H Pressure retaining componen	its that do not fall into one of the	ne above categories	
N Nuclear components: Class	1 ☐ Class 2 ☐ Class 3 ☐, (Meeting AECB or ASME requirements) AS IT WILL APPEAR ON THE PRODUCT	
CHOIT MANOFACTORERS NAM	IE, TRADEMARK, UR LOGO	AS IT WILL APPEAR ON THE PRODUCT	TYPE OF CONSTRUCTION FORGED WELDED WROUGHT X
			CAST OTHER DESCRIBE OTHER:
			BODY=FORGED COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING POOL	Citizen Character		
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFICA	ATION OF THE ACTUAL ITEMS TO BE REC	GISTERED:
CATALOG 4190-FP			
	ONOFLANGE DATED 21/03/20	007	
MONOFLANGE 1/2"-2" FLA	NGE CONNECTIONS A105, A	A182-F51-F53, A182-F316, B564 N04400, B5	64 N10276, A182 F44, A182 F316
DECLARATION:			
JAMES NEWOW		PARKER and bein	g the person having full authority and
my knowledge represents the p	product for which registration	ly declare that the information contained	in this form is true and to the best of
temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the			
manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by by management system as being suitable for that purpose and I make this solemn			
declaration conscientiously beli	eving it to be true, and kno	wing that it is of the same force and effe	ect as if made under oath.
Signature of Declarer:	1. P. Nel		6
Declared before me at	ledad Lova i	SETH S	SPACE FOR THE
This 18 h day of	AD Zey	9 OFFI	• GA /
Commissioner of Oaths			
or Notary Public: (sign)			
(A	official/seal to the right)	Par Taracka	1166
	This space	ce for Regulatory Authority use	SAFETY
	gistration must be revalidate	ted after ten (10) years from the date of	VESSELACT
CRN: 0C19249.5	- /	REGISTRATION	OMA
FID#: 2655	·	1200110101	19249,57
	•	CRN / / CC	11241.31
Notes:		1/	P
1. All fittings shall be registered in the name of the Manufacturer.			
Each category shall be support forms and one copy of supporting	ed with two Statutory Declarat		
The declaration shall be made !	by the person having full author	ority and CHIEF BOILER INS	a · / -
responsibility for the quality of the case. Quality control programs shall t	end product.	DATE: Upul o	21/2017
at a maximum interval of five (5) ye	ears.	☐ BLRs ☐	PVs
		FITTINGS □ C	OMPONENTS

NOVA SCOTIA

NEW BRUNSWICK

NEW BRUNSWICK	NOVA SCOTIA YUKON	PRINCE EDWARD ISLAND NORTHWEST TERRITORIES	NEWFOUNDLAND AND LABRADOR
MANUFACTURERS NAME:	PARKER HANNIEIN IDDE		
		NSTAPLE, DEVON, UK EX31 1NP	
	S ABOVE	NSTAPLE, DEVON, UK EXST INP	
		CIPCI E ONE CATEGORY ONLY	
A Pipe fittings, including coupl B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible con E Strainers, filters, separators, F Measuring devices, including pressure transmitters G Certified capacity-rated pres boilers, pressure vessels, pi H Pressure retaining component N Nuclear components: Class	nnections, and hose assemble and steam traps pressure gauges, level gauges sure relief devices acceptable ping and fusible plugs not that do not fall into one of the class 2 Class 3 C,	lies: all types ges, sight glasses, levels, or e as primary over pressure protection on	TITLE OF THE STANDARD OF CONSTRUCTION MSS SP99 ASME B31.1 ASME B31.3 ASME B16.5 ASME B16.5 ASME VIII FED-STD-H28/2B TYPE OF CONSTRUCTION FORGED & WELDED WROUGHT IX CAST OTHER DESCRIBE OTHER: BODY=FORGED COMPONENTS=WROUGHT BAR
LIST OF SUPPORTING DOCUM	MENTATION AND IDENTIFY	CATION OF THE ACTUAL ITEMS TO BE R	
DECLARATION: JAMES NEWS responsibility for the quality of my knowledge represents the temperature ratings, and ident	product for which registratification markings are in a	by PAUCEQ and be unly declare that the information contained tion is sought. The dimensions, material coordance with the begin pamed stands	ls of construction, pressure
or in part and has been verified	t regulated by a Quality Co by DOU MANAGEM lieving it to be true, and kr	ontrol Program which extends to each plant system as being suitable for the nowing that it is of the same force and ef	ant where fabrication occurs in whole
Signature of Declarer:	1. P. Neh		3/ 20
Declared before me at This day of Commissioner of Oaths or Notary Public: (sign)	Affix official seal to the right)	USETHIS OFFI	SPACE FOR THE
This re		ace for Regulatory Authority use his date of lated after ten (10) Vears from the date of BOILER & PRESSURE V	AFETY faceptance
CRN: 0C19249.5	_ /		
FID#: 2655	_ /	CRN	19249.57
Notes: 1. All fittings shall be registered in 2. Each category shall be supportorms and one copy of supporting 3. The declaration shall be made responsibility for the quality of the 4. Quality control programs shall at a maximum interval of five (5) y	ted with two Statutory Declar documentation. by the person having full aut end product. be resubmitted for validation	hority and CHIEF BOILER INSP	PECTOR 9/2017
			MPONENTS
		N THINGS LICO	III OILLITO