

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Parker Hannifin Instrumentation Products Division	
MANUFACTURERS ADDRESS: 1005 A Cleaner Way, Hunstville, Alabama 35805 USA	
PLANT LOCATIONS: 1005 A Cleaner Way, Huntsville, Alabama 35805 USA 301 Wagner Drive Boaz Alabama 35957 usa	
<p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p><input checked="" type="radio"/> A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers</p> <p><input type="radio"/> B Flanges: all flanges</p> <p><input type="radio"/> C Valves: all line valves</p> <p><input type="radio"/> D Expansion joints, flexible connections, and hose assemblies: all types</p> <p><input type="radio"/> E Strainers, filters, separators, and steam traps</p> <p><input type="radio"/> F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters</p> <p><input type="radio"/> G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs</p> <p><input type="radio"/> H Pressure retaining components that do not fall into one of the above categories</p> <p><input type="radio"/> N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p>	<p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>proprietary Parker Hannifin dimensional and material standards with the pressure boundary wall thickness calculated per ASME B31.3 paragraph 304.1.2</p>
<p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <p>see attached examples of acceptable product marking</p>	<p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input checked="" type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/>          CAST <input type="checkbox"/> OTHER <input type="checkbox"/>          DESCRIBE OTHER:          barstock</p>
<p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p>Catalog 4230/4233 CPI/ALOK Tube fittings.          Hartford Steam Boiler Inspection report.          Parker Hannifin Test report</p>	

**DECLARATION:**

I Craig Beckwith (see note 3) employed by Parker Hannifin Corp and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Det Norske Veritas as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.


Signature of Declarer: [Signature]

Declared before me at Madison County, State of Alabama

This 10<sup>th</sup> day of October AD 2013

Commissioner of Oaths or Notary Public: (sign) [Signature]

(Affix Official seal to the right)



This space for Regulatory Authority USE THIS SPACE FOR REGISTER & PRESSURE VESSEL ACT

This registration must be revalidated after ten (10) years from the date of acceptance.

REGISTRATION ONLY

CRN: 0A9154.5 REV2

FID#: 1937

Notes:

- All fittings shall be registered in the name of the Manufacturer.
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

EXAMINER: [Signature]  
 or  
 CHIEF BOILER INSPECTOR

DATE: 11/29/2013

BLRs  PVs

FITTINGS  COMPONENTS



# Parker Engineering Manual

Parker Hannifin Corporation  
Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 2 OF 6

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol

ID-3

- 1 Primary  
Corporate Signature  
Minimum Size  $\frac{5}{8}$ "



- 2 Small Size  
Corporate Signature  
Maximum Size  $\frac{5}{8}$ "



- 3 Linear  
Corporate Signature




- 4 Straight Type  
Identification—  
Helvetica Light

Parker

- 5 Small Size "P"  
Maximum Size  $\frac{1}{16}$ "



- 6 Linear "P"



0A06793.52

- 7 Straight Type "P"  
Identification—  
Helvetica Light

P