

345 Carlingview Drive Toronto, Ontario CANADA M9W 6N9 Tel.: 416.734.3300 Fax.: 416.231.1626

Toll Free: 1.877.682.8772

www.tssa.org

October 16, 2019

FRED ROY
PARKER HANNIFIN - INSTRUMENTATION PRODUCTS DIVISION
1005 A CLEANER WAY
HUNSTVILLE AL 35805
US

Service Request Type.: BPV-National ACI Central

Service Request No.: 2665042

Your Reference No.:

Registered to.: PARKER HANNIFIN - INSTRUMENTATION PRODUCTS DIVISION

Dear FRED ROY,

Please find enclosed the original response from PEI,NS,NB,NFLD,YK,NWT,NU, registered under the CRN No.: 0C12007.59870YTNR1.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you. For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail customerservices@tssa.org. When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis Administrative Assistant\_ BPV Engineering

Tel.: 416-734-3423 Fax: 416-231-6183 Email:tfrancis@tssa.org

Prince Edward Island

New Brunswick

Nova Scotia

	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
	e: Parker Hamilin Instrumentation Prod		
Manufacturers Addr	<b>ESS</b> ; 1005 A Cleaner Way Huntsville, Al	sbams 35805	
Plant Locations: 1005	A Cleaner Way Huntsville, Alabama 3580	5	
Category  A Pipe fittings, including  B Flanges: all flanges	of Fittings to be registered. couplings, tees, elbows, Ys, plugs,	Circle one Category only	Title of the Standard of Construction
E Strainers, filters, separ     F Measuring devices, inc     transmitters     G Certified capacity-rated     bollers, pressure vessel     H Pressure retaining com	luding pressure gauges, level gaug pressure relief devices acceptable is, piping and fusible plugs ponents that do not fall into one of	es, sight glasses, levels, or pressure as primary over pressure protection on the above categories	ASME B31.3, ASME B16.3
N Nuclear components:	Class 1 L Class 2 Class 3 L	(Meeting CNSC or ASME requirements)	
	Parker	it will appear on the product	Type of Construction Forged D Welded D Wrought D Cast D Other B Describe other: Machined
List of supporting doc	umentation and identification	of the actual items to be registere	d.
ings, and identification mings is regulated by a Quifified by DNV-GL	uality of the end product do sol the product for which registration parkings are in accordance with pality Control Program which ex- as being su	on is sought. The dimensions, matering the herein named standards. I furth dends to each plant where fabrication table for that purpose and I make the	d being the person having full authority intained in this form is true to the best of als of construction, pressure temperature are declare that the manufacture of these in occurs in whole or in part and has been a solemn declaration.
	mowing that it is of the same for	orce and effect as if made under oath	deciaration conscientiously
nature of Declarer:		<del></del>	
clared before me at	June AD 2019		ace for the Official Care
nmissioner of Oaths			7 6 113
Notary Public: (sign)	Sheri Cogge	POPPING ANTICAL	
	Affix Official seel to the right)		
	This space	e for Regulatory Authority use.	
0010007 =	inis registration must be revalid	sted after ten (10) years from the detect	acceptance.
RN: 0C12007.5	REV1	PROVINCE OF PRINCE ED	WARD ISLAND
		COMMUNITIES, LAND & E	NVIRONMENT
)#: 1937	2	COMMONITIES, 222	
s: FS190 EXCESS F	In the name of the Menufecturer.	C.R.N. OC12007.	S9 REVI
98: FS190 EXCESS F All Fittings shall be registered	In the name of the Manufacturer. orted with two Statutory Declaration for	C.R.N. OC12007.	59 REVI
as: FSI90 EXCESS F All Fittings shell be registered Each Category shell be supporting do and one copy of supporting do The Declaration shall be made	In the name of the Manufacturer, orted with two Statutory Declaration for ocumentation. In the person having full authority and	C.R.N. OCIOCO?	S9 REVI
as: FSI90 EXCESS F All Fittings shell be registered Each Category shall be supporting de The Declaration shall be mad- responsibility for the quality of Quality Control programs shall	In the name of the Manufacturer, orted with two Statutory Declaration for ocumentation. In the person having full authority and	C.R.N. OCIOCO?	S9 REVI

New	Bru	nsw	rick
Nuna	vut		

Nova Scotla

Prince Edward Island

Newfoundland and Labrador

Nunavut	Yukon	Northwest Territories	Cabrador
Manufacturers N	ame: Parker Hannifin Instrum	nentation Products Dvisition	
Manufacturers A	ddress: 1005 A Cleaner Way	Huntaville, Alabama 35805	
Plant Locations: 1	1005 A Cleaner Way Huntaville,	Alabama 35805	
A Pipe fittings, Includ B Flanges; all flanges	ory of Fittings to be re- ling couplings, tees, elbows s	gistered. Circle one Category only s. Ys, plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
E Strainers, filters, se     F Measuring devices,     transmitters     G Certified capacity-ra bollers, pressure ver	lexible connections, and ho parators, and steam traps including pressure gauges aled pressure relief devices asels, piping and fusible of	s, level gauges, sight glasses, levels, or pressure	ASME B31.3, ASME B16.34
Show Manufacture	-Parker	Class 3 [], (Meeting CNSC or ASME requirements)  or Logo as it will appear on the product	Type of Construction  Forged
List of supporting d	ocumentation and ide	entification of the actual Items to be registered	
Scope of Registr	ration Renewal ar	nd Revision 0C12007.5, Test report 2	2019-523

Declaration:	
I Crain Serinuth Division General Manager	unifin
and responsibility for the quality of the end product do solemnly declare to my knowledge represents the product for which registration is sought.	and being the person having full authority
The broaded as the quality of the end product do solemnly declare t	hat the information contained in this form is top to the board
my knowledge represents the product for which registration is sought. The ratings, and identification markings are in accordance with the herein ner	ne dimensions, materials of construction, pressure to the best of
ralings, and identification markings are in accordance with the herein ner fittings is regulated by a Quality Control Program which extends to each	ned standards. I further declare that the manufacture
fittings is regulated by a Quality Control Program which extends to each verified by payor as being suitable for that or	plant where fabrication occurs in whole or in and acture of these
verified by payou as being suitable for that probelleving it to be true, and knowing that it is of the same force and effect:	urpose and I make this solemn declaration
believing it to be true, and knowing that it is of the same force and effect	as if made under path.
Signature of Declarer.	
Declared before me at Huntsville , Alabama	
- John	
This 19th day of June AD 2019	Use this space for the Official Co.
Commissioner of Oaths	
	で、一般に対しています。
Or Notary Public: (sign) Conse	
(Affix Official seal to the right)	
This space for Regulatory	Authority use.
This registration must be revalidated after ten (10	) years from the date of accentance
CRN: OC12007.5 REV1	A STATE OF THE STA
	PRESCUE
FID#: 1937	OR & PRESSURE VA
	143

All Fittings shall be registered in the name of the Manufacturer. Each Category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.

Notes: FS190 BICESS FLOW SHUT OFF VALUE

The Declaration shall be made by the person having full authority and responsibility for the quality of the end product.

Quality Control programs shall be resubmitted for validation.

ORN EXPIRES ANG. 8,2029-DG.

Dwg as describ

& REGULAT

Sect 1.0 - Fittings Rev.2

Alexander Davidson		RATION FORM FOR THE REGIS	
New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
	ne: Parker Hannifin Instrumentation		
Manufacturers Add	ress: 1005 A Cleaner Way Huntsvill	le, Alabama 35805	
	5 A Cleaner Way Huntsville, Alabama		
		d. Circle one Category only lugs, unions, pipe caps, or reducers	<u>Title of the Standard of</u> <u>Construction</u>
C Valves: all line valves D Expansion joints, flex	ible connections, and hose asse	emblies: all types	ASME B31.3, ASME B16.34
transmitters	cluding pressure gauges, level	gauges, sight glasses, levels, or pressure	
boilers, pressure vess	d pressure relief devices accept els, piping and fusible plugs mponents that do not fall into on	lable as primary over pressure protection are of the above categories	n on
Show Manufacturers	Name Trademark or Log	3 □ , (Meeting CNSC or ASME required o as it will appear on the product	
		o as it will appear on the product	Type of Construction  Forged  Welded  Wrought  Cast  Other  Describe other:
	Parker		Machined
list of supporting do	cumentation and identifica	ation of the actual items to be reg	internal
v knowledge represent	quality of the end product do	stration is sought. The dimensions	and being the person having full authority tion contained in this form is true to the best of materials of construction, pressure temperature
tings, and identification tings is regulated by a ( rifled by DNV-GL	Quality Control Program white	e with the nerein named standards, ch extends to each plant where fabr ng suitable for that purpose and I ma	Truriner declare that the manufacture of these rication occurs in whole or in part and has been ake this solemn declaration consciontional.
	knowing that it is of the sar	me force and effect as if made unde	er oath.
nature of Declarer:	11 11	No. of the second secon	٠ <u>٠</u>
clared before me at sday of	June AD 20		
duy or	AD Z		his space for the Control
mmissioner of Oaths			his space for the official seal
	Sheri Caga		his space for the official seal
	(Affix Official seal to the right	Use the	his space for the Official Seal
	This	Use the space for Regulatory Authority use	New Z Nouveau K
Notary Public: (sign) _	This This registration must be re	Use the space for Regulatory Authority use.	New Z Nouveau K
Notary Public: (sign) RN:0C12007 . D#:1937	This This registration must be re	Use the space for Regulatory Authority use evalidated after ten 10) years BOILER	New Z Nouveau K TUNSWICK
Notary Public: (sign)  RN:	This This This registration must be respondent to the second seco	Use the space for Regulatory Authority use. Evalidated after ten 10) years BOILER	New Nouveau Properties Pressure Vessel act
RN: 0C12007.  D#: 1937  tes: FS190 EXCESS  All Fittings shall be registe	This registration must be restained to the second of the Manufacture provided with two Statutory Declarates	Use the space for Regulatory Authority use. evalidated after ten 10) years BOILER.  RI CRN	New Nouveau PUDSWICK PUDSTICE TUBLIC SAFETY & PRESSURE VESSEL ACT EGISTRATION ONLY
RN: 0C12007.  D#: 1937  tes: FS190 EXCESS  All Fittings shall be registe Each Category shall be su and one copy of supporting	This registration must be restained in the name of the Manufacture provided with two Statutory Declarate documentation.	Use the space for Regulatory Authority use. evalidated after ten 10) years Depring BOILER  CRN Cr. ion forms	New Nouveau PUDSWICK PUDSTICE TUBLIC SAFETY & PRESSURE VESSEL ACT EGISTRATION ONLY

BLRs

FITTINGS

PV9

□ NUCLEAR COMPONENTS

CRU EXPIRES AUG. 8, 2029-D.G.

Nunavut	Yukon	Prince Edward Island Northwest Territories	lewfoundland and Labrador
Manufacturers Nar	TIC: Parker Hannifin Instrumentati	on Products During	
Manufacturers Ado	Iress: 1005 A Cleaner Way Hunt	cuite Alghama 25905	
	5 A Cleaner Way Huntsville, Alaba		the same discount of the same and the same a
Categor	y of Fittings to be registe	ered. Circle one Category only	
A Pipe fittings, including B Flanges: all flanges	g couplings, tees, elbows, Ys,	, plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
E Strainers, filters, sepa	ible connections, and hose as		ASME B31.3, ASME B16.
F Measuring devices, in transmitters	icluding pressure gauges, levi	el gauges, sight glasses, levels, or pressure eptable as primary over pressure protection on	
boilers, pressure vessi	els, piping and fusible plugs	one of the above categories	
N Nuclear components:	Class 1 Class 2 Clas	ss 3 🗆 , (Meeting CNSC or ASME requirements)	
Show Manufacturers	Name, Trademark, or Lo	ogo as it will appear on the product	
	-Darkor		Forged Welded Wrought Cast Other
The state of the s	13.1177.41		Machined
ist of supporting do	cumentation and idensic	ication of the actual items to be registered	E. C. Communication of the Com
	Carrier (a	Noved by Parker Happing	
alp Beckwith, Division General Ma I responsibility for the o knowledge represents	quality of the end product the product for which reg markings are in accordan quality Control Program wi	pistration is sought. The dimensions, material ce with the herein named standards. I further thich extends to each plant where fabrication	als of construction, pressure temperate er declare that the manufacture of thes
ngs, and identification in ngs is regulated by a Q fied by PNV-GL	quality of the end product the product for which reg markings are in accordan quality Control Program wi as be	do solemnly declare that the information cor	als of construction, pressure temperature of the declare that the manufacture of the occurs in whole or in part and has become
alg Beckwith, Division General Mail I responsibility for the o knowledge represents ngs, and identification igs is regulated by a Q fied by DNV-GL	quality of the end product the product for which reg markings are in accordan quality Control Program will as be knowing that it is of the s	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I furthehich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.	als of construction, pressure temperate er declare that the manufacture of the occurs in whole or in part and has be
alg Beckwith, Division General Mail responsibility for the or knowledge represents ngs, and identification ngs is regulated by a Q filed by DNV-GL eving it to be true, and nature of Declarer:	quality of the end product the product for which reg markings are in accordan quality Control Program will as be knowing that it is of the s	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I furthehich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.	als of construction, pressure temperate er declare that the manufacture of the occurs in whole or in part and has be
and Beckwith, Division General Mail responsibility for the continuous continuous and identification and identification are represented by a Community of the continuous and identification are represented by DNV-GL eving it to be true, and insture of Declarer:	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the s	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this name force and effect as if made under oath.	als of construction, pressure temperations of construction, pressure temperations of the declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the s	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this name force and effect as if made under oath.	als of construction, pressure temperate er declare that the manufacture of the occurs in whole or in part and has be
responsibility for the control of th	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the s	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this name force and effect as if made under oath.	als of construction, pressure temperature declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
Iresponsibility for the control Manual Presponsibility fo	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the substitute.  Tune AD 2	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this name force and effect as if made under oath.  Lise this spa	als of construction, pressure temperature declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product the product for which regmarkings are in accordant accordant as be knowing that it is of the surface AD ALL ALL ALL ALL ALL ALL ALL ALL ALL	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Leans Local  Lise this spannt)	als of construction, pressure temperate of declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product in the product for which regmarkings are in accordant quality Control Program with as be knowing that it is of the substitute of	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning.	als of construction, pressure temperations of construction, pressure temperations occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the secondary that it is of the	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Leans Local  Lise this spannt)	als of construction, pressure temperate reduction of the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the secondary that it is of the	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning space for Regulatory Authority use. revalidated after ten (10) years from the date of a	als of construction, pressure temperature of the desired declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the second that the	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning space for Regulatory Authority use. revalidated after ten (10) years from the date of a	als of construction, pressure temperature of the desired declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously
responsibility for the control of th	quality of the end product the product for which reg markings are in accordant as be knowing that it is of the secondary that it is of the sec	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning space for Regulatory Authority use. revalidated after ten (10) years from the date of a significant content.	lass of construction, pressure temperate of declare that the manufacture of these occurs in whole or in part and has be solemn declaration conscientiously acceptance.  Newformuland Labrador
and Beckwith, Division General Main responsibility for the content of the content	quality of the end product in the product for which reg markings are in accordant quality Control Program with as be knowing that it is of the second that the	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this name force and effect as if made under oath.  Lise this space for Regulatory Authority use. revalidated after ten (10) years from the date of a feet	ace for the Dirical East  acceptance.  Newforthilland Labrador Service NL
alg Beckwith, Division General Main responsibility for the content of the content	quality of the end product the product of the product for which regmarkings are in accordant as the product of the segmant of	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning space for Regulatory Authority use. revalidated after ten (10) years from the date of a rev	als of construction, pressure temperature of the construction, pressure temperature of declare that the manufacture of the coccurs in whole or in part and has be solemn declaration conscientiously solemn declaration conscientiously acceptance.  Newfortholland Labrador Service NL
alg Beckwith, Division General Main responsibility for the control of the control	quality of the end product the product of the product for which regmarkings are in accordant as the product of the product of the second of th	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this spanning space for Regulatory Authority use. revalidated after ten (10) years from the date of a revalidated after ten (10) years from the date of a factor of the control of	als of construction, pressure temperature of construction, pressure temperature of declare that the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously solemn declaration conscientiously acceptance.  Newforthidland Labrador Service NL red OC 12007.50 Aut 19 10 2103
aby Beckwith, Division General Mairesponsibility for the control of the control o	quality of the end product the product of the product for which regmarkings are in accordant accordant as be knowing that it is of the secondary that it is of the seconda	do solemnly declare that the information corpistration is sought. The dimensions, material ce with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Decrea Use this space for Regulatory Authority use. revalidated after ten (10) years from the date of a feet.  The rerection forms the date of the purpose and the date of a feet.  The rerection forms the date of the purpose and the date of the purpose and the date of a feet.  The purpose and the pur	ace for the Diricia Seal  acceptance.  Newforthidland Labrador Service NL  red 06/2007/50 fat/
alg Beckwith, Division General Mail responsibility for the control knowledge represents ags, and identification ags is regulated by a Offiled by DNV-GL eving it to be true, and the stature of Declarer:    All price   All p	quality of the end product the product of the product for which regmarkings are in accordant quality Control Program with as be knowing that it is of the second that it is	do solemnly declare that the information corpistration is sought. The dimensions, materiace with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Lise this space for Regulatory Authority use. revalidated after ten (10) years from the date of a serior forms  Date the space forms	need of construction, pressure temperature of the soccurs in whole or in part and has been solemn declaration conscientiously solemn declaration conscientiously acceptance.  Newforthilland Labrador Service NL and CC 12007 50 Acceptance of 19 09 03 and basection services and basection services are the construction of the cons
responsibility for the control of th	quality of the end product in the product for which regmarkings are in accordant as the knowing that it is of the secondary that it is of the	do solemnly declare that the information corpistration is sought. The dimensions, material ce with the herein named standards. I further hich extends to each plant where fabrication sing suitable for that purpose and I make this ame force and effect as if made under oath.  Decrea Use this space for Regulatory Authority use. revalidated after ten (10) years from the date of a series ation forms  Date Register UNDE	als of construction, pressure temperate reduction of the manufacture of the occurs in whole or in part and has be solemn declaration conscientiously solemn declaration conscientiously acceptance.  Newforthidland Labrador Service NL red 06/2007.50 factor from and basectiop services

New Brunswick

Nova Scotia

New Brunswick	Nova Scotia	Prince Edward Island	Newfoundland and Labrador
Nunavut	Yukon	Northwest Territories	235,0001
Manufacturers Na	TIO: Parker Hannifin Instrumentati	on Products Dvisijon	
	dress: 1005 A Cleaner Way Hunti		
	05 A Cleaner Way Huntsville, Alaba		
A Pipe fittings, includin B Flanges: all flanges	y of Fittings to be registe g couplings, tees, elbows, Ys	ered. Circle one Category only , plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
C Valves: all line valve: D Expansion joints, flex	s cible connections, and hose as	ssemblies: all types	ASME B31.3, ASME B16.34
E Strainers, filters, sepa	arators, and steam traps	el gauges, sight glasses, levels, or pressur	
transmitters			
boilers, pressure vess	sels, piping and fusible plugs	eptable as primary over pressure protection	n on
H Pressure retaining co	mponents that do not fall into	one of the above categories	
N Nuclear components:	Class 1 Class 2 Clas	ss 3 🗆 , (Meeting CNSC or ASME requiren	nents)
Show Manufacturers	Name, Trademark, or Lo	ogo as it will appear on the product	- TPO DI CONSTIUCTION
			Forged
100	<b>⊋</b> ark(er		Describe other:
			Machined
List of supporting do	cumentation and identif	ication of the actual Items to be reg	istered:
Scope of Registra	ation Renewal and F	Revision 0C12007.5, Test rep	nort 2010 522
ratings, and identification fittings is regulated by a (verified by DNV-GL	quality of the end product s the product for which reg markings are in accordan Quality Control Program w as be	hich extends to each plant where fabreing suitable for that purpose and I ma	and being the person having full authority ion contained in this form is true to the best of materials of construction, pressure temperature I further declare that the manufacture of these ication occurs in whole or in part and has been the this solemn declaration conscientiously
believing it to be true, and	knowing that it is of the s	same force and effect as if made unde	roath.
Signature of Declarer:	MIL		
Declared before me at	Huntsville Ala	bena	6
This 19th day of			nis space for the Official Seal
Commissioner of Oaths			- 3- NS 1.5
Or Notary Public: (sign) _	Sheri Coggo		
	(Affix Official seal to the rig	ht)	A Proposition of
	TI	his space for Regulatory Authority use.	
CRN: 0C12007.	This registration must be 5 REV1	revalidated after ten (10) years from the d	ate of acceptance
	Z KEVI		SHVIEW OF
FID#: 1937	_		late of acceptance
	FLOW SHUTOFF VAL		
	red in the name of the Manufactu	1	G BY
and one copy of supporting	pported with two Statutory Declar g documentation.	ration forms	CRN 0C12007.5Y REV1
<ol> <li>The Declaration shall be mesponsibility for the quality</li> </ol>	ade by the person having full aut	thority and	CICIO SE IZECTION INZ
	hall be resubmitted for validation		DATE 09/03/2019
11/2016 3500 PST			Sect 1.0 - Fittings Rev.2
11/2010	UG. 8, 2029- D. G.		(4)
made marines > 14	00,01221-06.		CON CANON

New Brunswick

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers No.	TIO: Parker Hannifin Instrumentation Pro	dut Didelle	
	ITOSS; 1005 A Channer Way Huntsville, A		
	5 A Cleaner Way Huntsville, Alabama 35		
Categor	y of Fittings to be registered. g couplings, tees, elbows, Ys, plug-	Circle one Category only	Title of the Standard of Construction
C Valves: all line valves	ible connections, and hose assemt	blies: all types	ASME B31.3, ASME B16.3
F Measuring devices, in	cluding pressure gauges, level gau	ges, sight glasses, levels, or pressure	1
bollers, pressure vess	els, piping and fusible glugs	le as primary over pressure protection on	
	nponents that do not fall into one o	6.7 (1.1-2.1.76 (1) <sup></sup> (1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	
N Nuclear components:	Class 1 Class 2 Class 3 C	, (Meeting CNSC or ASME requirements	) [
Show Manufacturers	Name, Trademark, or Lopo a	s it will appear on the product	Type of Construction
			Cast D Other &
100	707		Describe other
	13.117.47		Machined
List of supporting doe	cumentation and Identification	on of the actual items to be register	ad:
A second		sion 0C12007.5, Test report	
Coope of Nogiona	abil iteliewal alla itevi	sion oc 12007.5, Test report	2019-523
Declaration:			
Crain Backwith, Division General Men	Isee note 3) employed	by Parker Hannifin an	d hains at
and responsibility for the o	mality of the end amount do ac	Josephi dealess that the information of	d being the person having full authority ontained in this form is true to the best of
my knowledge represents	the product for which registrati	ion is sought. The dimensions, mater	ontained in this form is true to the best of iels of construction, pressure temperature
fittings is regulated by a Q	uality Control Program which s	extends to each night where febrication	necessity that the manufacture of these
believing it to be true, and	knowing that it is of the same t	force and effect as if made under oath	and Jacob Housey
Signature of Declarer:	27/1		742
	Hundruille , Alabon	<u> </u>	6
This 19th day of	June AD 2019	Use this sp	ace for the Official Case Line
Commissioner of Oaths			2 28 18 28
Or Notary Public: (sign)	Sheri Coaga-		4
	(Affix Official seal to the right)		A State of the sta
5 St \$ 7.50		ce for Regulator Authority	The self
onenegational teasurements of the	This registration must be revalid		acceptance.
CRN: 0C12007.5	REV1	A VA	65.00
FID#: 1937		Northwest Territories	\
	LOW SHUTOFF VALUE	REGISTERE	D \
	in the name of the Manufacturer.	UNDER THE AUTHO	RITY OF
2. Each Category shall be supp	orled with two Statutory Declaration for	THE BOILER AND PR	ESSURE
and one copy of supporting d  3. The Declaration shall be made		1	ST ROUL
responsibility for the quality of	e by the person having full authority as I the end product,		
35 ob occh	ll be resubmitted for validation. E -lof-to 150F	SIGNED DATE 27	2019   Seci 10 - Fittings Rev.2
JEN EXPIRES AN			- mage tree Z
الملا وعدينا ماس	S.O. NOLI- U.G.		

New Brunswick Nunavut	Nova Scotia Yukon	Prince Edward Island Northwest Territories	Newfoundland and Labrador
Manufacturers Na	me: Parker Hannifin instrumentat	on Products Dyisiion	
Manufacturers Add	dress: 1005 A Cleaner Way Hunt	tsville, Alabama 35805	
Plant Locations: 100	95 A Cleaner Way Huntsville, Alaba	rma 35805	
A Pipe fittings, including B Flanges all flanges	y of Fittings to be registe g couplings, tees, elbows. Ys	ered. Circle one Category only plugs, unions, pipe caps, or reducers	Title of the Standard of Construction
E Strainers, filters, sepi     Measuring devices, in     transmitters     G Certified capacity-rate	cible connections, and hose a grators, and steam traps accluding pressure gauges, level and pressure relief devices according	ssemblies: all types rel gauges, sight glasses, levels, or pressure eptable as primary over pressure protection	
H Pressure retaining co		one of the above categories	
Show Manufacturers	Class 1	ss 3 🗌 , (Meeting CNSC or ASME requirem ogo as it will appear on the product	Forged Welded D Wrought Describe other.
610		ication of the actual items to be regis	Machined
tings, and identification tings is regulated by a C crified by DNV-GL	quality of the end product s the product for which reg markings are in accordan Quality Control Program w as be	ice with the herein named standards. I	and being the person having full authority on contained in this form is true to the best of naterials of construction, pressure temperature further declare that the manufacture of these cation occurs in whole or in part and has been this solemn declaration conscientiously oath
eclared before me at	Huntsville Ala	have	
is 198h day of	June AD		s space for the Official Seal 2
mmissioner of Oaths			7: 0 15
Notary Public: (sign)	Sheri Coggo		
	(Affix Official seal to the rig		2, 2 7, 5, 1
RN: 0C12007.	This registration must be	nis space for Regulatory Authority diser- revalldated after ten (10) years from the de	te of acceptan AUNAVUT  Boilers and
D#: 1937		Nunavut	Pressure Vessels Act
	FLOW SHUT OFF VALVE	1	
Each Category shall be sup	ported with two Statutory Declar	- ita- /-	REGISTERED
The Declaration shall be ma	ade by the person having full auti	nunty and	12007.5NREV1
responsibility for the quality Quality Control programs st	of the end product half be resubmitted for validation. $-10F + 0.150$	Date Aug	Gillary Sect 10 - Fittings Rev 2
1772010	16.8,2029-D.G.		Chief Inspector
		Territ	orial Registration Fee