

**TECHNICAL STANDARDS &
SAFETY AUTHORITY**
14th Floor, Centre Tower
3300 Bloor Street West
Toronto, Ontario
Canada M8X 2X4

Show facsimile of manufacturer's logo or trademark, as it will appear on the fitting, in the space below



STATUTORY DECLARATION

Registration of Fittings

Derek Bankier, Divisional Engineering Manager & Compliance Officer

(Name and Position, e.g. President, Plant Manager, Chief Engineer)

of Parker Hannifin Manufacturing Limited, donnick hunter filtration and separation division.

(Name of Manufacturer)

Located at Dukesway, Team Valley, Gateshead, Tyne & Wear, NE11 0PZ, UK 0044(0)1914029000

(Plant Address)

(Telephone No.)

(Fax No.)

☐ do solemnly declare that the fittings listed hereunder, which are subject to the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, comply with all of the requirements of

(Title of recognized North American Standard)

which specifies the dimensions, materials of construction, pressure/temperature ratings, identification marking the fittings and service;

☒ or are not covered by the provisions of a recognized North American standard and are therefore manufactured to comply with Proprietary Design _____ as supported by the attached data which identifies the dimensions, material of construction, pressure/temperature ratings and the basis for such ratings, the marking of the fitting for identification and service.

I further declare that the manufacture of these fittings is controlled by a quality system meeting the requirements of ISO9001:2008
which has been verified by the following authority, Lloyd's Register Quality Assurance.

The items covered by this declaration, for which I seek registration, are category Compressed Air Dryer type fittings. In support of this application, the following information and/or test data are attached as follows:

Sales Literature, Specification and Drawings, Calculations, Material Certificates, Lloyd's Design Appraisal, Quality Certificate

(drawings, calculations, test reports, etc.)

Declared before me at Gateshead in the County of Tyne & Wear

the 19th day of August AD 2014.

Commissioner for Oaths:

(Printed name)

(Signature)

(Signature of Declarer)

James Bowyer LL.B.
Notary Public
77 West Road
Newcastle upon Tyne
NE15 6PR
Tel. 07860 725159

FOR OFFICE USE ONLY

To the best of my knowledge and belief, the application meets the requirements of the **Technical Standards and Safety Act**, Boilers and Pressure Vessels Regulation, and CSA Standard B51 and is accepted for registration in Category H

CRN: CSA-OH9672.56R1

Registered by: B. SANDHU

Dated: 09.28.2017

NOTE: This registration expires on: Sept 19, 2024



REGISTERED

C.R.N. CSA-OH9672.562

Signed: Bikramjit Sandhu

Date: 28 Oct 2014

178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3



***Note:** See the attachment for the scope of the registration

THIS IS PART OF
CRN 0H9672.561

Technical Standards & Safety Authority

Boilers & Pressure Vessels

Safety Division

ORDER OF REVISIONS

DATE

BY

REASON

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65

66

67

68

69

70

71

72

73

74

75

76

77

78

79

80

81

82

83

84

85

86

87

88

89

90

91

92

93

94

95

96

97

98

99

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

121

122

123

124

125

126

127

128

129

130

131

132

133

134

135

136

137

138

139

140

141

142

143

144

145

146

147

148

149

150

151

152

153

154

155

156

157

158

159

160

161

162

163

164

165

166

167

168

169

170

171

172

173

174

175

176

177

178

179

180

181

182

183

184

185

186

187

188

189

190

191

192

193

194

195

196

197

198

199

200

201

202

203

204

205

206

207

208

209

210

211

212

213

214

215

216

217

218

219

220

221

222

223

224

225

226

227

228

229

230

231

232

233

234

235

236

237

238

239

240

241

242

243

244

245

246

247

248

249

250

251

252

253

254

255

256

257

258

259

260

261

262

263

264

265

266

267

268

269

270

271

272

273

274

275

276

277

278

279

280

281

282

283

284

285

286

287

288

289

290

291

292

293

294

295

296

297

298

299

300

301

302

303

304

305

306

307

308

309

310

311

312

313

314

315

316

317

318

319

320

321

322

323

324

325

326

327

328

329

330

331

332

333


334

335

336

337

338



MODEL	COLUMN	VOL 1465	VOL 12410
INLET VALVE	1	1	1
OUTLET VALVE	2	1	1
ADJUSTABLE PURGE PLATE	3	1	1
ANTI-HUNTING BLOCK	4	1	1
2 1/2 IN WELDED FCD ENDPATE	5	1	1
2 IN WELDED FCD ENDPATE	6	1	1
2 1/2 IN WELDED FCD ENDPATE	7	1	1
2 IN WELDED FCD ENDPATE	8	1	1
2 1/2 IN WELDED FCD ENDPATE	9	1	1
2 IN WELDED FCD ENDPATE	10	1	1
2 1/2 IN WELDED FCD ENDPATE	11	1	1
2 IN WELDED FCD ENDPATE	12	1	1
2 1/2 IN WELDED FCD ENDPATE	13	1	1
2 IN WELDED FCD ENDPATE	14	1	1
2 1/2 IN WELDED FCD ENDPATE	15	1	1
2 IN WELDED FCD ENDPATE	16	1	1
2 1/2 IN WELDED FCD ENDPATE	17	1	1
2 IN WELDED FCD ENDPATE	18	1	1
2 1/2 IN WELDED FCD ENDPATE	19	1	1
2 IN WELDED FCD ENDPATE	20	1	1
2 1/2 IN WELDED FCD ENDPATE	21	1	1
2 IN WELDED FCD ENDPATE	22	1	1
2 1/2 IN WELDED FCD ENDPATE	23	1	1
2 IN WELDED FCD ENDPATE	24	1	1
2 1/2 IN WELDED FCD ENDPATE	25	1	1
2 IN WELDED FCD ENDPATE	26	1	1
2 1/2 IN WELDED FCD ENDPATE	27	1	1
2 IN WELDED FCD ENDPATE	28	1	1
2 1/2 IN WELDED FCD ENDPATE	29	1	1
2 IN WELDED FCD ENDPATE	30	1	1
2 1/2 IN WELDED FCD ENDPATE	31	1	1
2 IN WELDED FCD ENDPATE	32	1	1
2 1/2 IN WELDED FCD ENDPATE	33	1	1
2 IN WELDED FCD ENDPATE	34	1	1

MXLE 106-40 (6 COLUMN UNIT) SHOWN
SEE SEPARATE SHEET FOR MODEL NUMBER
CONFIGURATION - APPENDIX 1

MAXIMUM DESIGN PRESSURE
16 BARG (232.0 PSIG)
MAXIMUM WORKING PRESSURE
13 BARG (189.5 PSIG)
MAXIMUM VACUUM
0.15 BARA (2.2 PSIA)
MAXIMUM TEMPERATURE
93°C (200°F)

CERTIFICATION

1. ALL COMPONENTS TO BE STAMPED WITH MATERIAL IDENTIFICATION MARKINGS. REFER TO INDIVIDUAL COMPONENT DRAWINGS FOR POSITION
2. MATERIAL CERTIFICATION TO EN 10204 3.1B REQUIRED FOR EACH COMPONENT

NOTE

- * ENDPLATE MAYBE USED INSTEAD OF CAST ENDPATE
- * ENDPLATES MAYBE USED INSTEAD OF ONE PURGE PLATE

DESIGN CODE:-
ASME VIII DIV 1

UNITED STATES EQUIVALENT

- (a) ASTM SA-221 606.3 T6
- (b) ASTM SA-221 606.1 T6
- (c) ASTM SA-221 606.1 T6
- (d) ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6

ASME SA-221 606.1 T6



Py 2 & 2

ATTACHMENT TO

CRN: CSA-049672.56 R1

Signed: *Bikramjit Sandhu*

178 Rexdale Boulevard, Toronto, ON Canada M9W 1R3