

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK
NUNAVUT

NOVA SCOTIA
YUKON

PRINCE EDWARD ISLAND
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Parker Hannifin Corporation Instrumentation Products Division	
MANUFACTURERS ADDRESS: 1005 A Cleaner Way, Huntsville, Alabama, 35805, USA	
PLANT LOCATIONS:	
CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers B Flanges: all flanges C Valves: all line valves D Expansion joints, flexible connections, and hose assemblies: all types E Strainers, filters, separators, and steam traps F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs H Pressure retaining components that do not fall into one of the above categories N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> , (Meeting CNSC or ASME requirements)	TITLE OF THE STANDARD OF CONSTRUCTION Manufactured to comply with ASME B31.3
SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT <div style="text-align: center; font-size: 1.2em;">see attached.</div>	TYPE OF CONSTRUCTION FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/> CAST <input type="checkbox"/> OTHER <input type="checkbox"/> DESCRIBE OTHER:
LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED: Scope of Registration Renewal 0A11716.5, Design Report, Material Specification ES-22, Catalog 4234 - April 2015	

DECLARATION:

I Tony Wyszowski (see note 3) employed by Parker Hannifin Corporation and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by DNV - GL as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer: [Signature]

Declared before me at Huntsville, Madison County

This 28th day of April AD 2017

Commissioner of Oaths or Notary Public: (sign) [Signature]

USE THIS SPACE FOR
OFFICIAL SEAL

NEW BRUNSWICK
DEPT. OF PUBLIC SAFETY



This space for Regulatory Authority Use
This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0A11716.5 Rev.2

FID#: 1937

REGISTRATION ONLY

CRN 0A11716.57 Rev. 2

[Signature]
for
CHIEF BOILER INSPECTOR

DATE: Aug. 25, 2017

BLRS PVS
Sect. 1.0 - Fittings Rev. 1 06/2003

FITTINGS COMPONENTS

Notes:

1. All fittings shall be registered in the name of the Manufacturer.
2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.



Parker Engineering Manual
Parker Hannifin Corporation
Instrumentation Connectors Division

Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 1 OF 6

Subject:

PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol

ID-3

GENERAL:

The following information is adapted from Parker's Corporation Communications and Identification Manual.

PRODUCT IDENTIFICATION:

It is important that Parker identification appear on the millions of components sold into the market place each year. For this reason, special versions of the Corporate Signature have been designed to accommodate difficult product marking situations. The three key variables which will govern the selection of proper identification techniques are the material on which the marking is to be applied, the surface contour, and identification area size. The order of preference for product marking usage is shown. When possible, the solid Signature should be used down to a minimum of 5/8 inch. For smaller applications, the solid Open Signature, with slightly more open space within the letterforms, should be used. The Linear Signature and the Helvetica Light Parker are approved only for especially difficult marking conditions and hard material surfaces. When the marking surface, contour or area size makes it impractical to use the complete Parker identification, a "P" may be used in order of preference shown. Critical dimensions for product identification only are provided in this section.



Issued 6-25-79	Section IDENTIFICATION
Revised 1-15-98	Standard No. ES-703
Ecn No. ICD97055	Page 2 OF 6

Subject:
PRODUCT LOGO MARKING REQUIREMENTS

Parker Symbol
ID-3

- 1 Primary
Corporate Signature
Minimum Size $\frac{5}{8}$ "



- 2 Small Size
Corporate Signature
Maximum Size $\frac{5}{8}$ "



- 3 Linear
Corporate Signature



- 4 Straight Type
Identification—
Helvetica Light

Parker

- 5 Small Size "P"
Maximum Size $\frac{3}{16}$ "



- 6 Linear "P"



- 7 Straight Type "P"
Identification—
Helvetica Light

P