



14th Floor, Centre Tower  
3300 Bloor Street West  
Toronto, Ontario  
Canada M8X 2X4  
Tel.: 416.734.3300  
Fax: 416.231.1626  
Toll Free: 1.877.682.8772

[www.tssa.org](http://www.tssa.org)

November 03, 2014

DAVE CALLAGHAN  
PARKER HANNIFIN CORP. IPD AUTOCLAVE ENGINEERS OPERATION  
8355 HESSINGER DR  
ERIE PA 16509  
US

Service Request Type.: BPV-National ACI Central  
Service Request No.: 1435126  
Your Reference No.: VFT CATALOG - CAT E FITTINGS - NAT'L SERV.  
Registered to.: PARKER HANNIFIN CORP. IPD AUTOCLAVE ENGINEERS OPERATION

Dear DAVE CALLAGHAN,

Please find enclosed the original response from NS,NB,NFLD, registered under the CRN No.: 0E9298.5870R2.

As all jurisdictional fees are handled by the Technical Standards and Safety Authority (TSSA), you do not pay any jurisdictions directly.

Should you have any questions or require further assistance, I will be happy to assist you.  
For general enquiries, please contact a Customer Service Advisor at 1.877.682.TSSA (8772) or e-mail [customerservices@tssa.org](mailto:customerservices@tssa.org). When contacting TSSA regarding this file, please refer to the Service Request number provided above.

Yours truly,

Tanya Francis  
Administrative Assistant\_ BPV Engineering  
Tel. : 416-734-3423  
Fax : 416-231-6183  
Email : [tfrancis@tssa.org](mailto:tfrancis@tssa.org)

UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

MANUFACTURERS NAME: Parker Hannifin Corporation Instrumentation Products Div. Autoclave Engineers Operation

MANUFACTURERS ADDRESS: 8355 Hessinger Dr. Erie, PA 16509 USA

PLANT LOCATIONS: Erie, PA USA Wexford, Ireland

CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY

- A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers
- B Flanges: all flanges
- C Valves: all line valves
- D Expansion joints, flexible connections, and hose assemblies: all types
- E Strainers, filters, separators, and steam traps
- F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters
- G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs
- H Pressure retaining components that do not fall into one of the above categories
- N Nuclear components: Class 1  Class 2  Class 3  (Meeting AECB or ASME requirements)

TYPE OF THE STANDARD OF CONSTRUCTION

ASME B31.3 Chapter IX

SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT



TYPE OF CONSTRUCTION

- FORGED  WELDED  WROUGHT
- CAST  OTHER

Machined

LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:

All filters in Autoclave Engineers Valves Fittings and Tubing Catalog.  
Drawings and sample calculations enclosed

DECLARATION:

I, Rick Mielnik (SEE NOTE 1) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:


*[Handwritten Signature]*

Declared before me at Parker Autoclave Eng.

This 11th day of March AD 2014

Commissioner of Oaths or Notary Public: (sign) *[Handwritten Signature]*

(Affix Official seal to the right)



This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E9298.5 Rev. 2

FiC#: 15011

Notes:

- All fittings shall be registered in the name of the Manufacturer
- Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.
- The declaration shall be made by the person having full authority and responsibility for the quality of the end product.
- Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Date: Aug. 29/14

C.R.N. 0E9298.5BREV2

Dwg. as described

Signed *[Handwritten Signature]*

1 of 1 Part

**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

NEW BRUNSWICK  
NUNAVUT

NOVA SCOTIA  
YUKON


PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

NEWFOUNDLAND AND LABRADOR

|   |   |
|---|---|
| MANUFACTURERS NAME: Parker Hannifin Corporation Instrumentation Products Div.. Autoclave Engineers Operation  |   |
| MANUFACTURERS ADDRESS: 8355 Hessinger Dr. Erie, PA 16509 USA  |   |
| PLANT LOCATIONS: Erie, PA USA Wexford, Ireland  |   |
| <p align="center"><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br/>                 B Flanges: all flanges<br/>                 C Valves: all line valves<br/>                 D Expansion joints, flexible connections, and hose assemblies: all types<br/> <input checked="" type="radio"/> E Strainers, filters, separators, and steam traps<br/>                 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br/>                 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br/>                 H Pressure retaining components that do not fall into one of the above categories<br/>                 N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/>, (Meeting AECB or ASME requirements)</p> | <p align="center"><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p align="center">ASME B31.3 Chapter IX</p>  |
| <p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p> <div style="display: flex; justify-content: space-around; align-items: center;"> </div>  | <p align="center"><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br/>                 CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br/>                 DESCRIBE OTHER:<br/> <p align="center">Machined</p> </p> |
| <p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p align="center">All filters in Autoclave Engineers Valves Fittings and Tubing Catalog.<br/>                 Drawings and sample calculations enclosed</p>   |   |

**DECLARATION:** Rick Mielnik (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at Parker Autoclave Eng.  
 This 11<sup>th</sup> day of March AD 2014  
 Commissioner of Oaths or Notary Public: (sign) Irene G. Koch  
 (Affix Official seal to the right)



|  |  |
|--|--|
| <p>CRN: <u>OE9298.5 Rev.2</u></p> <p>FID#: <u>15011</u></p> <p>Notes:<br/>                 1. All fittings shall be registered in the name of the Manufacturer.<br/>                 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.<br/>                 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.<br/>                 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.</p> | <p align="center">This space for Regulatory Authority Use</p> <p align="center">This registration must be revalidated after ten (10) years from the date of issuance.</p> <p align="center"><b>NEW BRUNSWICK</b><br/>                 DEPT. OF PUBLIC SAFETY<br/>                 BOILER &amp; PRESSURE VESSEL ACT</p> <p align="center"><b>REGISTRATION ONLY</b></p> <p>CRN: <u>OE9298.57 Rev.2</u></p> <p>EXAMINER: <u></u><br/>                 for<br/>                 CHIEF BOILER INSPECTOR</p> <p>DATE: <u>Aug 29/2014</u></p> |
|--|--|

BLRs  PVs  
 FITTINGS  COMPONENTS



**UNIFORM STATUTORY DECLARATION FORM FOR THE REGISTRATION OF FITTING DESIGNS**

**NEW BRUNSWICK**  
NUNAVUT


**NOVA SCOTIA**  
YUKON

PRINCE EDWARD ISLAND  
NORTHWEST TERRITORIES

**NEWFOUNDLAND AND LABRADOR**

|  |   |
|--|---|
| MANUFACTURERS NAME: Parker Hannifin Corporation Instrumentation Products Div. Autoclave Engineers Operation  |   |
| MANUFACTURERS ADDRESS: 8355 Hessinger Dr. Erie, PA 16509 USA   |   |
| PLANT LOCATIONS: Erie, PA USA Wexford, Ireland   |   |
| <p><b>CATEGORY OF FITTINGS TO BE REGISTERED. CIRCLE ONE CATEGORY ONLY</b></p> <p>A Pipe fittings, including couplings, tees, elbows, Ys, plugs, unions, pipe caps, or reducers<br/>                 B Flanges: all flanges<br/>                 C Valves: all line valves<br/>                 D Expansion joints, flexible connections, and hose assemblies: all types<br/> <input checked="" type="checkbox"/> E Strainers, filters, separators, and steam traps<br/>                 F Measuring devices, including pressure gauges, level gauges, sight glasses, levels, or pressure transmitters<br/>                 G Certified capacity-rated pressure relief devices acceptable as primary over pressure protection on boilers, pressure vessels, piping and fusible plugs<br/>                 H Pressure retaining components that do not fall into one of the above categories<br/>                 N Nuclear components: Class 1 <input type="checkbox"/> Class 2 <input type="checkbox"/> Class 3 <input type="checkbox"/> (Meeting ASME or ASME requirements)</p> | <p><b>TITLE OF THE STANDARD OF CONSTRUCTION</b></p> <p>ASME B31.3 Chapter IX</p>  |
| <p><b>SHOW MANUFACTURERS NAME, TRADEMARK, OR LOGO AS IT WILL APPEAR ON THE PRODUCT</b></p>     | <p><b>TYPE OF CONSTRUCTION</b></p> <p>FORGED <input type="checkbox"/> WELDED <input type="checkbox"/> WROUGHT <input type="checkbox"/><br/>                 CAST <input type="checkbox"/> OTHER <input type="checkbox"/><br/>                 DESCRIBE OTHER:</p> <p>Machined</p> |
| <p><b>LIST OF SUPPORTING DOCUMENTATION AND IDENTIFICATION OF THE ACTUAL ITEMS TO BE REGISTERED:</b></p> <p align="center">All filters in Autoclave Engineers Valves Fittings and Tubing Catalog.<br/>                 Drawings and sample calculations enclosed</p>  |   |

**DECLARATION:** Rick Mielnik (see note 3) employed by Parker Hannifin and being the person having full authority and responsibility for the quality of the end product do solemnly declare that the information contained in this form is true and to the best of my knowledge represents the product for which registration is sought. The dimensions, materials of construction, pressure temperature ratings, and identification markings are in accordance with the herein named standards. I further declare that the manufacture of these fittings is regulated by a Quality Control Program which extends to each plant where fabrication occurs in whole or in part and has been verified by Hartford Steam Boiler as being suitable for that purpose and I make this solemn declaration conscientiously believing it to be true, and knowing that it is of the same force and effect as if made under oath.

Signature of Declarer:   
 Declared before me at Parker Autoclave Eng.  
 This 11th day of March AD 2014  
 Commissioner of Oaths or Notary Public: (sign) Irene G. Koch  
 (Affix Official seal to the right)

COMMONWEALTH OF PENNSYLVANIA  
 Notarial Seal  
 Irene G. Koch, Notary Public EAL  
 Summit Twp., Erie County  
 My Commission Expires Dec. 18, 2015  
 MEMBER, PENNSYLVANIA ASSOCIATION OF NOTARIES


This space for Regulatory Authority use

This registration must be revalidated after ten (10) years from the date of acceptance.

CRN: 0E9298.5 Rev. 2

FIC#: 15011

Notes:  
 1. All fittings shall be registered in the name of the Manufacturer  
 2. Each category shall be supported with two Statutory Declaration forms and one copy of supporting documentation.  
 3. The declaration shall be made by the person having full authority and responsibility for the quality of the end product.  
 4. Quality control programs shall be resubmitted for validation at a maximum interval of five (5) years.

Newfoundland  
 Labrador  
 Service NL  
 Registered 0E9298.50 **REV. 2**  
 Date 08 SEPT 2014  
 Engineering and Inspection Services  
 Registered by   
 UNDER THE AUTHORITY OF THE  
 PUBLIC SAFETY ACT AND  
 THE BOILER, PRESSURE VESSEL AND  
 COMPRESSED GAS REGULATIONS